



Hospital  
**Furniture**  
Products



[www.rgkglobaltradeexports.com](http://www.rgkglobaltradeexports.com)

# RGK PRODUCTS

- HOSPITAL BEDS
- PATIENT TRANSFER TROLLEY
- DELIVERY BED
- OVER BED TABLES
- EMERGENCY CRASH CARTS
- WARD EQUIPMENTS
- INVALID WHEELCHAIR
- GENERAL EQUIPMENTS
- NEONATAL CARE PRODUCTS
- ACCESSORIES

## About us

RGK Global Trade Exports is Limited Liability Partnership (LLP) firm offering a wide range of products that include pharmaceutical products, surgical equipment, hospital furniture, etc. We are the leading and topmost manufacturer and supplier of these products in India. Now we enter the export market for these products. The entire range that we offer has high-quality products with the latest cutting-edge technology and excellent durability. We have served this industry for a vast number of years.

We strive to enhance the health of our buyers by providing them with the best products available on the market. Our product line, with unparalleled quality, is in accordance with client requirements and conforms to global standards. With efficient and timely services, we emerge as the most dependable business partners in this competitive world.



## Contents

Hospital ICU Beds **01-10**

---

Recovery Beds **11-12**

---

Ward Beds **13-19**

---

Bed Accessories **20**

---

Patient Transfer Solution **21-22**

---

Examination Solution **23-25**

---

Monitor Trolley / Crash Cart **26-27**

Bed Side Locker **28-29**

---

Over Bed Tables **30**

---

Trolleys **31-37**

---

Rounding Stools **38**

---

Basin / IV Stand **39-40**

---

Invalid Wheel Chair **42**

---

## ICCU Bed Motorized HYGEIA (AI-2000H)



Crafted with superior quality material and evolved with feedback from expert users to be utmost useful for patient care. Designed with the objective to understand and overcome challenges of healthcare professionals to aid in faster healing of patients.

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg, Height adjustment and Cardiac Chair positions maneuverable by four separate linear actuators.
- All positions are guided through integrated panels on upper side railings and foot board.
- Mattress area is divided into four sections. Back section is X-Ray permeable made up of radiolucent material provided with cassette holder. Remaining three sections are made up of uniformly perforated CRCA sheet.
- Full length four sectional polymer molded collapsible safety side rails with angle indicators and zero transfer gap.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Dual side lever for Manual CPR.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Heavy duty twin wheel central locking castors of 125/150 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole and syringe pump, with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- Battery backup
- All metal components are chemically pretreated and epoxy powder coated.



Remote in Side Railing



Nurse Panel



Base Cover



Manual CPR



Central Locking Castor



Syringe Pump Holder



Radiolucent Back Rest



**Overall Dimensions:**

Length - 2190mm

Width - 1075mm

Height - Min. 500mm-Max. 800mm



**Optional:**

- 4 section Mattress
- Choice of 4 section split rails with Degree indicator
- Choice of Head foot ABS
- Nurse Control System (ACP)
- Cylinder Cage
- Size of Central Locking Castors

**Optional:**



Bed Extension



Linen Holder



#### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg, Height adjustment and Cardiac Chair positions maneuverable by four separate linear actuators.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Full length four sectional polymer molded collapsible safety side rails with angle indicators and zero transfer gap.
- Dual side lever for Manual CPR.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Heavy duty twin wheel central locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole and syringe pump, with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- Battery backup

#### Overall Dimensions:

Length - 2190mm

Width - 1075mm

Height - Min. 570mm-Max. 870mm

#### Optional:

- 4 section Mattress
- Choice of 4 section split rails
- Choice of Head foot ABS
- Cylinder Cage
- Size of Central Locking Castors







## ICCU Bed Electric Motorized (AI-2000E)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg, Height adjustment and Cardiac Chair positions maneuverable by four separate linear actuators.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Four sectional polymer molded collapsible safety side rails with angle indicators.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- Battery backup
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

length - 2190mm  
width - 1075mm  
Height - Min. 500-  
Max. 800 mm

### Optional:

- 4 section Mattress
- Choice of 4 section split rails
- Choice of Head foot ABS
- Cylinder Cage
- Nurse control panel (ACP)



## ICCU Bed Semi Motorized (AI-2000SE)



### Standard Features

- Backrest and Height adjustment maneuver actuators.
- Knee rest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Four sectional polymer molded collapsible safety side rails with angle indicators.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- Battery backup
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**  
 length - 2190mm  
 width - 1075mm  
 Height - Min. 500-  
 Max. 810 mm

- Optional:**
- 4 section Mattress
  - Choice of 4 section split rails
  - Choice of Head foot ABS
  - Central Locking Castors
  - Choice of Castors wheels





## ICCU Hi-Low Bed GRAND (AI-2000B)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg and height adjustment positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up OF CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Four sectional polymer molded collapsible safety side rails with angle indicators.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length : 2190mm

Width : 1075mm

Height : Min. 570mm, Max. 810mm

### Optional:

- 4 section Mattress
- Choice of 4 section split rails with Degree indicator
- Choice of Head foot ABS
- Choice of Castor Wheels





## ICCU Hi-Low Bed DELIGHT (AI-2000A)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg and height adjustment positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels, detachment of panel is hassle-free and quick without any tools.
- Collapsible safety side rails.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length : 2010mm  
Width : 960mm  
Height : Min. 570mm-  
Max. 810mm

### Optional:

- 4 section Mattress
- Choice of safety side rails
- Choice of Head foot ABS
- Choice with corner buffer
- Choice of Castor Wheels



## ICCU Hi-Low Bed EPIC (AI-2000)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg and height adjustment positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Detachment of head and foot panel made with stainless steel and lamination board.
- Collapsible safety side rails.
- Single wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length : 2010mm  
Width : 960mm  
Height : Min. 570mm-  
Max. 810mm

### Optional:

- 4 section Mattress
- Choice of safety side rails
- Choice of Head foot ABS
- Choice with corner buffer
- Choice of Castor Wheels



## ICU Non-Hi-Low Bed GRAND (AI-2001B)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up OF CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Four sectional polymer molded collapsible safety side rails with angle indicators.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated

### Overall Dimensions: Optional:

Length - 2190mm  
Width - 1075mm  
Height - 610mm

- 4 section Mattress
- Choice of 4 section split rails
- Choice of Head foot ABS
- Choice of Castor Wheels





## ICU Non Hi-Low Bed DELIGHT (AI-2001A)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Collapsible safety side rails.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 960mm  
Height - 610mm

### Optional:

- 4 section Mattress
- Choice of safety side rails
- Choice of Head foot ABS
- Choice of Castor Wheels



## ICU Non Hi-Low Bed EPIC (AI-2001)

### Standard Features

- Backrest, knee rest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into four sections made up of CRCA sheet.
- Detachable head and foot panel made with stainless steel and laminated board.
- Collapsible safety side rails.
- Single wheel castors of 125 mm dia for smooth mobility.
- Heavy duty IV Pole with provision of fixing on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 960mm  
Height - 610mm

### Optional:

- 4 section Mattress
- Choice of safety side rails
- Choice of Head foot ABS
- Choice of Castor Wheels





## Recovery Bed GRAND (AI-2002B)

### Standard Features

- Backrest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated Mattress area is divided into two sections made up OF CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Two sectional polymer molded collapsible safety side rails with angle indicators.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 1075mm  
Height - 610mm

### Optional:

- 2 section Mattress
- Choice of Head foot Panel
- Choice with corner buffer
- Choice of Wheels





## Recovery Bed DELIGHT (AI-2002A)



- Backrest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up of CRCA sheet.
- Polymer molded head and foot panels, detachment of panel is hassle-free and quick without any tools.
- Collapsible safety side rails.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 960mm  
Height - 610mm

### Optional:

- 2 section Mattress
- Choice of Head foot Panel
- Choice with corner buffer
- Choice of Wheels
- IV Pole

## Recovery Bed EPIC (AI-2002)



- Backrest, Trendelenburg and Reverse Trendelenburg positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up of CRCA sheet.
- Detachable head and foot panel made with stainless steel and laminated board.
- Collapsible safety side rails.
- Single wheel diagonal locking castors of 125 mm dia for smooth mobility.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 960mm  
Height - 610mm

### Optional:

- 2 section Mattress
- Choice of Head foot Panel
- Choice with corner buffer
- Choice of Wheels
- IV Pole

# FOWLER BED



## ICU Fowler Bed (AI-2003C)

### Standard Features

- Backrest and knee rest positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels; detachment of panel is hassle-free and quick without any tools.
- Four sectional polymer molded collapsible safety side rails with angle indicators.
- Corner roller bumpers to absorb impact and reduce damage during handling.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2190mm  
Width - 1075mm  
Height - 610mm

### Optional:

- 2 section Mattress
- Head foot Panel
- Choice of 4 section split rails
- Choice of Castor wheels



## Fowler Bed GRAND (AI-2003B)

### Standard Features

- Backrest and knee rest positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into four sections made up of CRCA sheet.
- Polymer molded head and foot panels.
- Collapsible safety side rails.
- Single wheel diagonal locking castors of 125mm dia for smooth mobility.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 960mm  
Height - 610mm

### Optional:

- 4 section Mattress
- Head and foot Panel
- Collapsible or swing down railing.
- IV Pole





## Fowler Bed DELIGHT (AI-2003A)

### Standard Features

- Backrest and knee rest positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into four sections made up CRCA sheet.
- Detachable Polymer molded head and foot panels.
- Frame mounted on "U" shaped legs with PVC stumps.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length : 2010mm

Width : 910mm

Height : 610mm

### Optional:

- 4 section Mattress
- Choice of Head foot Panel
- Choice of corner buffer
- Choice of wheels
- IV Pole



## Fowler Bed EPIC (AI-2003)

### Standard Features

- Backrest and knee rest positions maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into four sections made up CRCA sheet.
- Detachable head and foot panel made with stainless steel and laminated board.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm

Width - 910mm

Height - 610mm

### Optional:

- 4 section Mattress
- Choice of Head foot Panel
- Choice of corner buffer
- Choice of wheels
- IV Pole





# SEMI FOWLER BED



## Semi Fowler Bed DELIGHT (AI-2004A)

### Standard Features

- Backrest position maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up CRCA sheet.
- Detachable Polymer molded head and foot panels.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 910mm  
Height - 610mm

### Optional

- 2 section Mattress
- Head and foot panel
- Wheels
- Collapsible or swing down railing IV pole



## Semi Fowler Bed EPIC (AI-2004)

### Standard Features

- Backrest position maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up CRCA sheet.
- Detachable head and foot panel made with stainless steel and laminated board.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 910mm  
Height - 610mm

### Optional

- 2 section Mattress
- Head and foot panel
- Wheels
- Collapsible or swing down railing IV pole





## Semi Fowler Bed SUPREME (AI-2006A)

### Standard Features

- Backrest position maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up CRCA sheet.
- Detachable head and foot panel made with stainless steel.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 910mm  
Height - 610mm

### Optional

- 2 section Mattress
- Head and foot panel
- Wheels
- Collapsible or swing down railing
- IV pole



## Semi Fowler Bed CLASSIC (AI-2006)

### Standard Features

- Backrest position maneuverable by smooth crank mechanism.
- Uniformly perforated mattress area is divided into two sections made up CRCA sheet.
- Detachable head and foot panel made with CRCA pipe.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2010mm  
Width - 910mm  
Height - 610mm

### Optional

- 2 section Mattress
- Head and foot panel
- Wheels
- Collapsible or swing down railing
- IV pole



# PLAIN BED



## Plain Bed EPIC (AI-2005)

### Standard Features

- Uniformly perforated Mattress area made up of CRCA sheet.
- Detachable head and foot panel made with stainless steel and laminated board.
- Frame mounted on strong H shaped legs with PVC stumps.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2011mm  
Width - 910mm  
Height - 610mm

### Optional

- Mattress
- Wheels
- Collapsible or swing down railing
- IV pole

## Plain Bed CLASSIC (AI-2005A)

### Standard Features

- Uniformly perforated Mattress area made up of CRCA sheet.
- Detachable head and foot panel made with CRCA pipe.
- Frame mounted on strong H shaped legs with PVC stumps.
- Provision of fixing IV pole on all four ends.
- Urine drainage bag holder on both sides.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2011mm  
Width - 910mm  
Height - 610mm

### Optional

- Mattress
- Wheels
- Collapsible or swing down railing
- IV pole



## Patient's Attendant Bed EPIC (AI-2008)

### Standard Features

- Uniformly perforated Mattress area made up of CRCA sheet.
- Frame mounted on strong H shaped legs with PVC stumps.
- Head and foot panel made with stainless steel.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1980mm  
Width - 610mm  
Height - 460mm

### Optional

- Mattress

## Patient's Attendant Bed (AI-2008A)

### Standard Features

- Uniformly perforated Mattress area made up of CRCA sheet.
- Frame mounted on strong H shaped legs with PVC stumps.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1830mm  
Width - 610mm  
Height - 460mm

### Optional

- Mattress

## PAED BED



### Paed Bed (AI-2009)

#### Standard Features

- Frame made of CRCA rectangular tubes.
- Uniformly perforated Mattress area made up of CRCA sheet with drop side railing.
- Tubular head & Leg bows of equal height with vertical tube supports.
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions:

Length - 1525mm  
Width - 810mm  
Height - 610mm



### Baby Crib (AI-2010)

#### Standard Features

- Swinging crib made of wire mesh
- Crib mounted on CRCA pipes on PVC Stumps
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions:

Length - 770mm  
Width - 400mm  
Height - 1040mm

# BED ACCESSORIES

## Polymer Moulded Head & Foot Board



AI-203



AI-204



AI-205



AI-206




FEW OF OUR STICKER COLOR OPTIONS (For Bulk Quantity Orders)



AI-217

Two Fold Mattress  
For Semi Fowler Beds



AI-218

Four Fold Mattress  
For I.C.U. / Fowler Beds

## Castors



AI-209

100/125mm  
Cover Castor



AI-210

125mm  
Single Wheel



AI-211

125mm  
Twin Wheel Castor



AI-212

150mm  
Heavy Castor



AI-213

125/150mm  
Twin Wheel Center Locking



AI-214

Telescopic  
Adjustable IV Rod

# PATIENT TRANSFER TROLLEY



## Emergency Recovery Trolley

### Hydraulic(AI-2027)

#### Standard Features

- Frame structure made of heavy CRCA tube.
- X-ray permeable two sectional top with removable stretcher.
- X ray cassette holder can slide along length of the top.
- Backrest adjustment on ratchet system.
- Height adjustments facilitated by high quality hydraulic pump operated by foot peddle.
- Trendlenberg and reverse trendlenberg position assisted by gas spring.
- Trolley mounted on four 150 mm diameter heavy PU castors two with break and two without break.
- Provided with buffers at four corners.
- Swing away type stainless steel railing
- Provision for mounting IV pole.
- Provided with oxygen cylinder holder and SS IV rod.
- Provided with 50M thick two sectional mattress.
- Provided with Utility tray
- Backrest tilt 0-65 degree
- Trendlenberg and reverse trendlenberg position 0-15 degree
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions:

Length - 2160mm  
Width - 660mm  
Height - Min. 610mm -Max.870mm.

## Emergency Recovery Trolley

### Mechanical (AI-2027A)

#### Standard Features

- Frame structure made of heavy CRCA tube.
- X-ray permeable two sectional top with removable stretcher.
- X ray cassette holder can slide along length of the top.
- Backrest adjustment on ratchet system.
- Height adjustments, Trendlenberg and reverse trendlenberg position assisted by linear crank mechanism at foot end.
- Trolley mounted on four 150 mm diameter heavy PU castors, two with break and two without break.
- Provided with buffers at four corners.
- Provided with Swing away type stainless steel railing and S.S. IV Rod
- Provided with 50mm thick two sectional mattress
- Backrest tilt 0-65 degree
- Trendlenberg and reverse trendlenberg position 0-15 degree
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions:

Length - 2160mm  
Width - 660mm  
Height - Min.610mm-Max.870mm



## Stretcher Trolley S.S. (AI-2029)

### Standard Features

- Frame structure made stainless steel tubes.
- Frame mounted on 150 MM PU castors two with break and two without break
- Two section removable stretcher top made of S.S. sheet.
- Backrest adjustment on ratchet system.
- SS Swing down type safety side rails.
- Provided with oxygen cylinder cage and utility tray.
- Provided with S.S. Telescopic IV rod.

### Overall Dimensions:

Length - 2080mm  
Width - 630mm  
Height - 760mm

## Stretcher Trolley Deluxe (AI-2029A)

### Standard Features

- Frame structure is made of CRCA tube
- Frame mounted on 150 MM PU castors two with break and two without break
- Removable stretcher top made up of CRCA sheet.
- CRCA Swing down type safety side rails.
- Provided with oxygen cylinder cage and utility tray.
- Provision for mounting IV rod.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2080mm  
Width - 630mm  
Height - 760mm

## Stretcher Trolley Std. (AI-2028)

### Standard Features

- Frame structure is made of CRCA tube
- Frame mounted on 150 MM PU castors two with break and two without break
- Removable stretcher top made of CRCA sheet.
- Provision for mounting IV rod.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 2080mm  
Width - 585mm  
Height - 760mm



# EXAMINATION COUCH



## Examination Couch Electric (AI-2052)

### Standard Features

- Made of CRCA tube
- Height adjustable via electric linear actuator through wired remote or foot switch (optional)
- Backrest adjustment facilitated by gas spring.
- Top Padded with foam covered with high quality washable rexine
- Provided with paper roll holder at head end of the table.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1870mm

Width - 560mm

Height - Min. 570mm X Max. 840mm



## Gynae Examination Couch Electric (AI-2052A)

### Standard Features

- Made of CRCA tube
- Height adjustable via electric linear actuator through wired remote or foot switch (optional)
- Backrest adjustment facilitated by gas spring.
- Top Padded with foam covered with high quality washable rexine
- Provided with paper roll holder at head end of the table.
- Provided with prineal "U" cut and lithotomy rods with padded knee crutches.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1870mm

Width - 560mm

Height - Min. 570mm X Max. 840mm



## Examination Couch (AI-2051)

### Standard Features

- Made of CRCA sheet
- Head rest adjustable on gas spring
- Upper section of box comprises of three drawers
- Lower section comprises of three cabinets with separate doors
- BP apparatus tray provided near head rest
- In-built sliding step stool
- Top Padded with foam covered with high quality washable rexine
- Provision of saline stand.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1870mm  
Width - 560mm  
Height - 840mm

## Gynae Examination Couch (AI-2051A)

### Standard Features

- Made of CRCA sheet
- Upper section of box comprises of three drawers
- Lower section comprises of three cabinets with separate doors
- BP apparatus tray provided near head rest
- In-built sliding step stool
- Top Padded with foam covered with high quality washable rexine
- Provision of saline stand.
- Provided with prineal "U" cut and lithotomy rods with padded knee crutches.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1830mm  
Width - 560mm  
Height - 840mm



## Examination Table (AI-2030)

### Standard Features

- Frame made of CRCA tubes
- Two sectional top made of CRCA sheet
- Head section adjustable on ratchet
- Mounted on rubber stumps
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1870mm  
Width - 560mm  
Height - 760mm

## Gynae Examination Table (AI-2032)

### Standard Features

- Frame made of CRCA tubes
- Two sectional top made of CRCA sheet
- Head section adjustable on ratchet
- Provided with prineal "U" cut with SS lithotomy rods having rexine ankle strap.
- Drainage tray at leg end
- Mounted on rubber stumps
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1870mm  
Width - 560mm  
Height - 760mm



## Telescopic Labour Table S.S. (AI-2031)

### Standard Features

- Mattress area divided into three sections made up stainless steel sheet.
- Middle section provided with preneal "U" cut.
- Base frame made up heavy stainless steel tube.
- Backrest adjustable on ratchet system.
- Trendelenberg/reverse trendelenberg positions maneuverable by gas spring.
- Provided with stainless steel safety rails at both sides and head end.
- Heavy duty IV pole with provision of fixing at head end.
- Provided with high quality three sectional mattress of suitable dimension.
- Leg section can be telescoped under main frame.
- Accessories: detachable stainless steel collection tray, set of lithotomy rods with crutches pad, set of hand grips, screen rod, arm rest.
- Back rest 0-70 Degree.

### Overall Dimensions:

Length - 1870mm

Width - 560mm

Height - 760mm





## Labour Delivery Bed Electric (AI-2033)

### Standard Features

- Mattress area divided into three sections made up stainless steel sheet.
- Middle section provided with preneal "U" cut.
- Detachable polymer molded head bows.
- Provided with polymer molded safety side rails.
- Backrest high low position and reverse trendelenberg position maneuverable by separate actuators.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV pole with provision of fixing at head end.
- Provided with high quality three sectional mattress of suitable dimension.
- Dust protective base cover.
- Leg section can be telescoped under main frame.
- Accessories: detachable stainless steel collection tray, set of lithotomy rods with crutches pad, set of hand grips, screen rod, arm rest.
- Back rest 0-70 Degree.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1950mm

Width - 980mm

Height - Min. 610mm-Max.856mm

## Labour Delivery Bed Hydraulic (AI-2033H)

### Standard Features

- Mattress area divided into three sections made up stainless steel sheet.
- Middle section provided with preneal "U" cut.
- Detachable polymer molded head bows.
- Provided with polymer molded safety side rails.
- Backrest adjustable on ratchet system.
- Trendlenberg/reverse trendlenberg positions maneuverable by crank mechanism.
- Height can be adjusted by foot operated high quality hydraulic pump.
- Twin wheel diagonal locking castors of 125 mm dia for smooth mobility and firm grip.
- Heavy duty IV pole with provision of fixing at head end.
- Provided with high quality three sectional mattress of suitable dimension.
- Leg section can be telescoped under main frame.
- Accessories: detachable stainless steel collection tray, set of lithotomy rods with crutches pad, set of hand grips, screen rod, arm rest.
- Back rest 0-70 Degree.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 1950mm

Width - 980mm

Height - Min. 610mm-Max.856mm





## Monitor Trolley S.S. (AI-2053A)

### Standard Features

- Strong stainless steel tubular frame.
- 5 stainless steel shelves, one fixed and four adjustable.
- SS drawer at bottom
- Trolley has six 3 pin power sockets, along with switch, arranged vertically along the height of trolley.
- Trolley Has S.S. Handels on either side for easy movement.
- Mounted on 125 mm twin wheel castors.
- Provided with SS IV rod.
- Oxygen cylinder holder provided at the back.
- Top shelf size 510mmLx610mmW
- Other shelf size 510mmLx555mmW

### Overall Dimensions:

Length - 765mm  
Width - 660mm  
Height - 1400mm

## Monitor Trolley DELIGHT (AI-2053)

### Standard Features

- Strong CRCA tubular frame.
- 5 stainless steel shelves, one fixed and four adjustable.
- CRCA sheet drawer at bottom
- Six 3 pin power sockets, along with switch, arranged vertically along the height of trolley.
- Trolley has SS handles on either side for easy movement.
- Mounted on 125 mm single wheel castors.
- Provided with SS IV rod.
- Oxygen cylinder holder provided at the back.
- All metal components are chemically pretreated and epoxy powder coated.
- Top shelf size 510mmLx610mmW
- Other shelf size 510mmLx555mmW

### Overall Dimensions:

Length - 765mm  
Width - 660mm  
Height - 1400mm

## Monitor Trolley Powder Coated (AI-2053B)

### Standard Features

- Strong CRCA tubular frame.
- Four stainless steel shelves, one fixed and four adjustable.
- Four three pin power sockets, along with switch, arranged vertically along with the height of trolley.
- Trolley has SS handles on either side for easy movement.
- Mounted on 125 mm single wheel castors.
- Provided with SS IV rod.
- All metal components are chemically pretreated and epoxy powder coated.
- Top shelf size 510mmLx610mmW
- Other shelf size 510mmLx555mmW

### Overall Dimensions:

Length - 660mm  
Width - 660mm  
Height - 1325mm



## Crash Cart S.S. (AI-2019)

### Standard Features

- Frame made of stainless steel tubes.
- Two fiber molded box each with three lockable drawers.
- Provided with oxygen cylinder holder.
- Six colour removable bins.
- Provided with three stainless steel shelves.
- Provided with SS IV rod, 100 mm corner buffer and cardiac massage board.
- Cart mounted on 125 mm castors with diagonal brakes.

### Overall Dimensions:

Length - 900mm  
Width - 405mm  
Height - 1665mm



## Crash Cart Powder Coated (AI-2019A)

### Standard Features

- Frame made of CRCA tubes.
- Two fiber molded box each with three lockable drawers.
- Provided with oxygen cylinder holder.
- Six colour removable bins.
- Provided with three stainless steel shelves.
- Provided with SS IV rod, 100 mm corner buffer and cardiac massage board.
- Cart mounted on 125 mm castors with diagonal brakes.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 900mm  
Width - 405mm  
Height - 1665mm



## Medicine Trolley (AI-2050)

### Standard Features

- Made up of CRCA tube mounted on 100 mm casters.
- Four fiber moulded box each with three locked drawers.
- Provided with detachable S.S. top shelve with raised edges.
- Push handle on one side.
- All metal components

### Overall Dimensions:

Length - 750mm  
Width - 400mm  
Height - 860mm





**Bed Side Locker  
ABS (AI-2015B)**

**Standard Features**

- Made up of ABS material
- Provided with one cabine, one and one towel rail.

**Overall Dimensions:**

Length - 470mm  
Width - 480mm  
Height - 800mm



**Bed Side Locker  
GRAND (AI-2015A)**

**Standard Features**

- Made of CRCA Sheet.
- Having one storage box and one drawer
- Polymer molded top, drawer front and cabinet door.
- Two tubular legs mounted on PVC stumps and two on castors.
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**

Length - 400mm  
Width - 400mm  
Height - 860mm



**Bed Side Locker  
DELIGHT (AI-2015)**

**Standard Features**

- Made of CRCA Sheet.
- Stainless steel top with raised edge on 3 sides
- Having one storage box and one drawer
- Two tubular legs mounted on PVC stumps and two on castors.
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**

Length - 400mm  
Width - 400mm  
Height - 860mm



**Medication  
CART (AI-2015C)**

**Standard Features**

- Made of CRCA Sheet.
- Stainless steel extended top shelf
- Having four drawers of different size
- with one compartment at the bottom
- The cart is mounted on 100mm casters wheel.
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**

Length - 760mm  
Width - 450mm  
Depth - 600 (Trolley S.S. Top)  
Height - 1030mm



## Bed Side Locker GENERAL (AI-2016)

### Standard Features

- Made of CRCA pipe and sheet
- Stainless steel top
- Having one storage box
- Tubular legs mounted on PVC stumps.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 400mm  
Width - 400mm  
Height - 800mm

## Bed Side Locker SUPREME (AI-2016A)

### Standard Features

- Made of CRCA pipe and Sheet.
- Stainless steel top with raised edge with three sides having one storage box.
- Another stainless steel shelf on storage box with side rails.
- Tubular legs mounted on PVC stumps.
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 425mm  
Width - 425mm  
Height - 825mm

## Three Shelf Locker (AI-2014)

### Standard Features

- Made Up of Stainless Steel and pipe
- Three shelves with side rails on three sides
- Mounted on PVC stumps.

### Overall Dimensions:

Length - 405mm  
Width - 405mm  
Height - 860mm

## Two Shelf Locker (AI-2014A)

### Standard Features

- Made of CRCA Pipe
- Two stainless steel shelves.
- Stainless steel side rails on three sides mounted on PVC stumps
- All metal components are chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Length - 405mm  
Width - 405mm  
Height - 860mm

# OVER BED TABLE / TROLLEY



Over Bed Table  
with Gas Pump  
(AI-2011A)

#### Standard Features

- Rectangular framework mounted on 50mm castors.
- Fiber moulded top
- Height adjustable by gas spring
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions

Length - 805mm  
Width - 400mm  
Height - Min. 860mm-Max.1140mm



Over Bed Table  
with Gear  
(AI-2011)

#### Standard Features

- Rectangular framework mounted on 50mm castors.
- Laminated board top
- Height adjustable with gear mechanism through side lever.
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions

Length - 760mm  
Width - 400mm  
Height - Min. 750mm-Max.1090mm



Over Bed Table  
with Knob  
(AI-2012)

#### Standard Features

- Rectangular framework mounted on 50mm castors.
- Laminated board top
- Height adjustable through side knob.
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions

Length - 760mm  
Width - 400mm  
Height - Min.830mm-Max.1100mm



Over Bed Table  
General  
(AI-2013)

#### Standard Features

- Tubular frame mounted on 50mm castors.
- Fixed laminated board top.
- All metal components are chemically pretreated and epoxy powder coated.

#### Overall Dimensions

Length - 1065mm  
Width - 400mm  
Height - 1065mm



## Linen Trolley with 3 Shelves and Canvas Bag (AI-2044)

### Standard Features

- Frame made of S.S. pipe mounted on 100 mm casters.
- Provided with 3 shelves for fresh linen and 1 canvas bag for soiled linen
- S.S. Shelf size 520mm L X 460mm W
- Canvas Bag Size 475mm L X 460mm W

### Overall Dimensions:

Length - 1140mm  
Width - 460mm  
Height - 1170mm



## Soiled Linen Trolley Double Bucket (AI-2045)

### Standard Features

- S.S. frame mounted on 100 mm casters.
- Two good quality plastic bucket with swing lid

### Overall Dimensions:

Length - 470mm  
Width - 470mm  
Height - 1170mm



## Soiled Linen Trolley Single Bucket (AI-2046)

### Standard Features

- S.S. frame mounted on 100 mm casters.
- Good quality plastic bucket with swing lid

### Overall Dimensions:

Length - 1100mm  
Width - 470mm  
Height - 1170mm

ALSO  
AVAILABLE  
WITH 3 BINS



## Bio Medical Waste Trolley (AI-2047)

### Standard Features

- Frame made of S.S.tubes mounted on 100 casters.
- 15 ltr capacity of each bin.
- Bins can be interchange as per requirement.
- Foot operated system for touch-less opening off lid.
- Available in 3 and 4 bins trolley options.
- Bins available in yellow, red, green, blue, black and white options.

### Overall Dimensions:

Length - 1300mm  
Width - 270mm  
Height - 570mm



## ECG Trolley (AI-2048)

### Standard Features

- Top Shelf Made up of Stainless Steel
- Frame Made up of CRCA Pipe
- Other Two shelves are made up of CRCA Sheet
- S.S. Handle top Push Trolley
- Height Adjustable S.S. Rod at Back to Hold Wires
- Top Shelf size 460mm L \* 455mm W
- Other shelf Size 460mm L \* 405 mm W
- Other shelf Size 460mm L \* 405 mm W

### Overall Dimensions:

Length - 485mm  
Width - 450mm  
Height - 610 mm



## Instrument Cabinet (AI-2020)

### Standard Features

- Made up of CRCA sheet with four glass horizontal partitions.
- Glass fitted lockable doors.
- Chemically pretreated and epoxy powder coated

### Overall Dimensions:

Length - 615mm  
Width - 375mm  
Height - 1225mm



**Instrument Trolley**  
(AI-2017)

**Standard Features**

- Having two S.S. shelves with three side railing.
- Made up of S.S. pipes mounted on 100 mm casters.

**Over Dimensions:**

(AI-2017) Length - 760mm  
(AI -2017) Width - 460mm  
(AI 2017) Height - 900mm

**Over Dimensions:**

(AI-2017A) Length - 910mm  
(AI -2017A) Width - 605mm  
(AI 2017A) Height - 900mm



**Dressing Trolley**  
(AI-2018)

**Standard Features**

- Having 2 S.S. shelves with 3 side railing
- Made up of S.S. pipes mounted on 100 mm casters
- Provided with removable S.S. bowl and S.S. bucket with Lid.

**Overall Dimensions:**

Length - 1120mm  
Width - 495mm  
Height - 900mm



**Curve Instrument Trolley**  
(AI-2049)

**Standard Features**

- Having two S.S. curved shelves
- Made up of S.S. pipes mounted on 100 mm casters.
- Platform with 400mm.

**Overall Dimensions:**

Length - 910mm  
Height - 900mm



Mayo's Trolley  
with Gear (AI-2017)

**Standard Features**

- Made up of S.S. pipes mounted on 50 mm casters.
- Height adjustable with gear mechanism through side lever.
- Provided with detachable S.S tray.

**Overall Dimensions:**

Length - 610mm  
Width - 405mm  
Height - Min. 570mm-Max. 1190mm



Mayos trolley with Knob  
(AI-2025A)

**Standard Features**

- Made up of S.S. pipes mounted on 50 mm casters.
- Height adjustable through side knob.
- Provided with detachable S.S tray.

**Overall Dimensions:**

Length - 620mm  
Width - 430mm  
Height - Min. 840mm-Max. 1100mm



Mayos Trolley Double  
Stand (AI-2024)

**Standard Features**

- Made up of S.S. tubes mounted on 100 mm casters.
- Height adjustable with gear mechanism provided on either side.
- Provided with detachable S.S tray.

**Overall Dimensions:**

Length - 910mm  
Width - 600mm  
Height - Min. 750mm-Max. 1190mm



## S.S. Revolving Stool

with Cushion Top (AI-2038)

### Standard Features

- Made up of S.S. tubes.
- Four legged frame mounted PVC stumps.
- Height adjustable by screw mechanism.
- Moulded cushion top.
- Provided with foot rest.

### Overall Dimensions:

Top Dia - 310mm  
Height - Min. 490mm-Max. 790mm



## P.C. Revolving Stool

S.S Top (AI-2039A)

### Standard Features

- Made up of CRCA pipes and S.S. top.
- Four legged frame mounted PVC stumps
- Height adjustable by screw mechanism.
- Provided with foot rest.
- Chemically pretreated and epoxy powder coated.

### Overall Dimensions:

Top Dia - 300mm  
Height - Min. 470mm-Max. 770mm



## P.C. Revolving Stool

S.S Top (AI-2039)

### Standard Features

- S.S. Revolving Stool With S.S. Top
- Made up of S.S. pipes and S.S. top.
- Four legged frame mounted PVC stumps .
- Height adjustable by screw mechanism.
- Provided with foot rest.

### Overall Dimensions:

Top Dia - 300mm  
Height - Min. 470mm-Max. 770mm



## Attendant Stool

(AI-2040)

### Standard Features

- Frame made up of CRCA tubes mounted on PVC stumps.
- Top made of S.S. sheet.
- Chemically pretreated and epoxy powder coated

### Overall Dimensions:

Length - 255mm  
Width - 255mm  
Height - 470mm





**Basin Stand Double**  
(AI-2036)

**Standard Features**

- Made up of S.S. pipes mounted on 50 mm casters.
- Provide with 2 detachable stainless steel.

**Overall Dimensions:**  
Bowel Dia - 350mm  
Height - 760mm



**Basin Stand**  
(AI-2036A)

**Standard Features**

- Frame made up of S.S. pipe mounted on 50 mm casters.
- Provide with one detachable S.S. bowl

**Overall Dimensions:**  
Bowel Dia - 350mm  
Height - 760mm



**Kick Bucket**  
(AI-2043)

**Standard Features**

- Frame made up S.S. tubes mounted on 50 mm Casters.
- Detachable S.S. bowl

**Overall Dimensions:**  
Bowel Dia - 350mm  
Height - 330mm



**IV Stand**  
(AI-2034B)

**Standard Features**

- S.S. pipe mounted on Impored, moulded 5 wing heavy fiber base on 50 mm casters.
- S.S. double hook IV rod

**Overall Dimensions:**

Height - 1365mm X 2180mm



**IV Stand**  
(AI-2034A)

**Standard Features**

- S.S. pipe mounted on moulded 5 wing heavy fiber base on 50 mm casters.
- S.S. double hook IV rod.

**Overall Dimensions:**

Height - 1430mm X 2240mm



**IV Stand Powder Coated**  
(AI-2034)

**Standard Features**

- CRCA pipe mounted on moulded 5 wing heavy fiber base on 50 mm casters.
- S.S. double hook IV rod.
- Minimum height maximum height

**Overall Dimensions:**

Height - 1430mm X 2240mm



**Cylinder Trolley**  
(AI-2037)

**Standard Features**

- Made up of CRCA pipes mounted on 100 mm casters.
- Chemically pretreated and epoxy powder coated.



**Foot Step Double**  
(AI-2042)

**Standard Features**

- Made from CRCA pipe and sheet mounted on PVC stumps.
- Anti-skid aluminium top.
- First step height second step height
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**

Length - 460mm  
 Width - 440mm  
 Height - First step-240mm  
 Second step-460mm

(Also Available in S.S.)



**Foot Step Single**  
(AI-2041)

**Standard Features**

- Made from CRCA pipe and sheet mounted on PVC stumps.
- Anti-skid aluminium top
- All metal components are chemically pretreated and epoxy powder coated.

**Overall Dimensions:**

Length - 460mm  
 Width - 250mm  
 Height - 250mm

(Also Available in S.S.)



**Four Fold**  
(AI-2035A)

**Standard Features**

- Bed side screen four fold with curtain.
- Made up of 50mm casters.
- Provided with curtains.
- All metal components are chemically pretreated and epoxy powder coated.



**Three Fold**  
(AI-2035)

**Standard Features**

- Bed side screen three folds with curtains.
- Made up of 50mm casters.
- Provided with curtains
- All metal components are chemically pretreated and epoxy powder coated.



Wheel Chair Non Folding  
(AI-2023)

**Standard Features**

- Made Up of CRCA Pipe
- Non Folding 50mm Seat And Fixed Cushion Back Rest.
- PU Moulded Fixed Arm Rest
- 150mm Front Caster
- 600mm Rear Wheel With Breaks.
- Foldable Foot Rest
- All Metal Components Are Chemically Pretreated And Epoxy Powder Coated.



Wheel Chair Non Folding  
(AI-2023B)

**Standard Features**

- Made Up of S.S. Pipe
- Non Folding 50mm Seat And Fixed Cushion Back Rest.
- PU Moulded Fixed Arm Rest
- 190mm Imported Front Caster
- 300mm Imported Rear Wheel With Breaks.
- Foldable Foot Rest
- All Metal Components Are Chemically Pretreated And Epoxy Powder Coated.




Wheel Chair Non Folding  
(AI-2022)

**Standard Features**

- Made Up of CRCA Pipe
- Non Folding 50mm Seat And Fixed Cushion Back Rest.
- PU Moulded Fixed Arm Rest
- 190mm Front Caster
- 300mm Rear Wheel With Breaks.
- Foldable Foot Rest
- All Metal Components Are Chemically Pretreated And Epoxy Powder Coated.

# PRODUCTION HOUSE



# Make an Informed Choice!

Hospital Furniture has the power to create a long lasting impression in minds of the customer, so chose your furniture wisely.

## Good Hospital Furniture Is...

- ✓ Sturdy and Long lasting
- ✓ Easy to use for healthcare workers
- ✓ Comfortable for patients
- ✓ Attractive and beautiful

## What to Look For in Hospital Furniture...

- ✓ **Strength:** Take note of gauge of pipes and sheets, they provide strength and life to the furniture. Look for extra support at pressure areas.
- ✓ **Mechanism:** Using scientific mechanisms makes furniture comfortable to use, long lasting and conducive to faster patient recovery. Prefer furniture that is crafted using proper mechanisms.
- ✓ **Paint:** Hospital furniture is often exposed to special conditions and chemicals during patient care. Always insist for furniture that is chemically pre treated, powder coated and baked through proper process using latest technology for long lasting and superior finish.
- ✓ **Aesthetics:** In addition to Good Treatment and facilities patients look for comfortable and pleasing stay at the hospital. Aesthetically pleasing furniture plays a major role in creating a pleasant feeling for the customer and making the choice. Chose furniture that enhances the overall appeal of your hospital.
- ✓ **Manufacturer:** Always prefer a seasoned manufacturer with good track record, to get furniture crafted with expertise and trustworthy after sale services.


# Quality Certificates



Sr No.	Certificate Description
1.	ISO 9001 : 2015
2.	ISO 14001 : 2015
3.	ISO 13485 : 2016
4.	IEC 60601-1 : 2015
5.	ISO 18001 : 2018
6.	BIFMA LEVEL-II
7.	CE



Our Powder Coating Tested by:  
**NABL Certified Lab**





Rgk global trade exports LLP  
2nd floor, bhara multi-speciality hospital,  
Ward number 25 sardarshahar,churu  
Rajasthan Pin 331403  
rgkglobaltradeexports.com | email : rgkglobaltradeexports@gmail.com Ph. :  
+91 9809460786